

GOVERNMENT OF INDIA
Ministry of Finance; Department of Revenue,
OFFICE OF THE GENERAL MANGER
GOVERNMENT OPIUM & ALKALOID WORKS
NEEMUCH 458441 MADHYA PRADESH

TEL : 220199, 220614

FAX : 07423-220647

F.No: I(20)055/PUR/G/2016-

Dated the: 19/01/2018

To,
M/s.

D/Sir,

Subject : Supply of Quotation for Supply of Stores to GOAW, Neemuch.

Please forward your Quotation in double sealed cover for supply of following stores addressed to **the General Manager, Govt. Opium & Alkaloid works, Neemuch-458441-(M.P.)**; on or before 15:00 hours of **20/02/2018**. Which will be opened on the same day at 15: 30 hours in the presence of such tenderers want to be present. Your offer would be governed by terms & conditions as mentioned below: -

Sl.	Description of Stores	Quantity
1-	Hand Held Metal Detector (HHMD)	05 Nos.

Note: For Detail / Technical specification kindly login our web-site: www.goaf.gov.in
And www.eprocure.gov.in

02. Our file No. & date and due date should be clearly written on your quotation.
03. The quotation should be sent in double sealed cover duly subscribed on both the covers in bold letters '**Tender for 'Hand Held Metal Detector'** to be opened on: **20.02.2018**
04. The quotation should be sent through Courier / Post or may be dropped personally by the tender(s) or their representatives in the Tender Box available in the office of the General Manager of this works.
05. The quotation should bear no correction or alteration and it should be duly signed by a competent person. The name and designation of the signatory should also be given.
06. Net rates after discount should be quoted; the rates should be given in figures and words. The rates should be free from cuttings, alteration or over writing. Rates should be quoted only for the specified Make & units. Offer / Quotation(s) received after specified date and time shall be rejected out rightly.
07. Rates should be valid for a minimum period of 60 days and till completion of supply.
08. All the rates should be quoted F.O.R. Neemuch [M.P.] Neemuch is located Mhow-Nasiharabad Highway, 56 Kms. from Chittorgarh, 133 Kms. from Ratlam and 135 Kms. from Udaipur.

Contd.....2

09. The claim of any damage, breakage and loss in transit would be made good by company to this office & the supplier will settle claims directly with the insurance company at his own responsibility.
10. The General Manager reserves the right to not accept the lowest or any quotation and split up offer & place order(s) with one or more tendered without assigning any reason whatsoever.
11. Earnest Money Deposit of 02% of the total value should be deposited in the form of cash or by way of account payee Bank Draft in favour of 'DRAWING & DISBURSING OFFICER' GOVT. OPIUM & ALKALOID WORKS, NEEMUCH 458441 MP towards Earnest Money Deposit.
12. No interest on Earnest Money / Security deposit shall be paid. Earnest Money deposit of unsuccessful tenderers will be refunded within a reasonable period without any interest.
13. The % of VAT (Value Added Tax) will clearly be mentioned in the quotation as well as supply invoice (if supply order placed). The amount of the VAT will be deducted from the invoice during release of payment and deposit to the M.P. Sales Tax Office and requisite certificate issued in this regard will be sent to you.
14. The claim of any damage, breakage and loss in transit would be made good by the supplier to the undertaking and the supplier will settle the claim directly with the Insurance Company at his own.
15. The General Manager reserves the right not to accept the lowest or any quotation and split up the quotation and place order with one or more tenderers without assigning any reason whatsoever.
16. You must be able to supply the articles immediately / within **07** days as per the delivery schedule to be given in our purchase order.
17. The quantity shown in our enquiry is approximate and can be increased or reduced by us. If rates for small / large lots are different, these should be quoted separately.
18. Packing and forwarding charges if any and taxes and insurance charges if any should be clearly mentioned otherwise the rates will be treated as **INCLUSIVE OF** all these. Form C/D will be issued on demand.
19. Full technical literature, catalogue, pamphlet, test reports and other information etc. should be forwarded with quotation to ascertain the suitability of stores offer by you and your capacity to supply it.
20. If you are on rate contract with the D.G.S.&D or any other Department of Govt. of India for these items only such rates should be quoted and mention to this effect be made in the quotation.
21. Delivery is the essence of the contract if delivery is not made as per terms of the purchase order; the Undertaking reserves the right to forfeit the Earnest Money Deposit/ Security Deposit.
22. RISK PURCHASE: In case the stores is not supplied within the stipulated period as per purchase order or of sub-standard quality of stores supplied by you, the Undertaking reserves the right to purchase stores from any other available source. If any extra expenditure incurred due to such purchase, the extra expenditure shall be borne by the supplier. In this regard, the notice given by the Undertaking will be Final and binding without any dispute.
23. The quantity and quality of the stores shall be verified at our Works, in case of defective/not as per the specifications, the Undertaking reserves the right to reject the stores at the cost of the supplier.
24. Dispute if any, will be subject to Neemuch (M.P) jurisdiction.

Yours faithfully,

Handwritten signature and date:
20-07-18

MANAGER
GOVT. OPIUM & ALKALOID WORKS
NEEMUCH-458 441 (M.P.)






QRs FOR HAND HELD METAL DETECTOR

1.	<u>Dimensions</u>	
	Length	Maximum 500 mm
	Probe width	Maximum 120 mm
	Body width	Maximum 65 mm
2.	<u>Weight</u>	Maximum 500 gms
3.	<u>Power Source</u>	Alkaline battery 3 volt (1.5x2), volt should run minimum 550 hrs on 10% detection rate.
4.	<u>Battery Protection</u>	To be provided against damage due to reverse polarity.
5.	<u>Indication</u>	(a) Single LED based audio and visual multiple indication for :- (i) SWITCH ON (ii) METAL DETECTION (iii) LOW BATTERY INDICATION
6.	<u>Operation</u>	Single push button operation
7.	<u>Construction</u>	Should be rugged and impact resistant ABS moulded casing.
8.	<u>Scan rate</u>	Minimum 3" to 24"/sec.
9.	<u>Detection</u>	Should be able to detect Ferrous and Non-Ferrous metals. - Pistol .22 at min 6" - Cartridge .22 at min 2" - Razor Blade at min 1"
10.	<u>Tuning</u>	Automatic to ensure equal results on wide range of metals and alloys.
11.	<u>Miscellaneous</u>	The firm should be able to provide the following, as applicable, along with the equipment :- (a) Cleaning kit. (b) Technical Manual giving full description of the item. (c) User's Hand Book.

PR Kishore BSK
 NK Sharma BPRD
 Shankar Gupta
 V. C. al Robot P. TSG
 R. S. Chauhan SB
 P. S. Patil DGA (Aomst)
 J. J. J. J.
 M. S. J. J.
 CS Chandrai
 Col. R. S. J. J.
 Maj. S. S. J. J.
 (WE) NSS
 Col. R. S. J. J.
 Baugan SS
 Approved/Not approved
 Approved -
 (RK) Mechekar
 Director General, NSG


TRIAL DIRECTIVE : HAND HELD METAL DETECTOR


Ser No	QRs	Remarks
1	<u>Dimensions</u> (a) Length - Maximum 500 mm. (b) Probe width - Maximum 120 mm (c) Body width - Maximum 65 mm	Trial Directives To be physically checked by the BOO.
2	<u>Weight</u> - Maximum 500 gms	To be physically checked by the BOO.
3	<u>Power Source</u> Alkaline battery 3 volt (1.5x2), volt should run minimum 550 hrs on 10% detection rate.	Certificate from a national/internationally accredited lab will be the acceptance criteria.
4	<u>Battery protection</u> . To be provided against damage due to reverse polarity	1. OEM/Firm to provide certificate 2. To be physically checked by the BOO.
5	<u>Indication</u> (a) Single LED based audio and visual multiple indication for :- (i) Switch on (ii) Metal Detection (iii) Low Battery Indication	To be physically checked by the BOO.
6	<u>Operation</u> . Single push button operation.	To be physically checked by the BOO.
7	<u>Construction</u> . Should be rugged and impact resistant ABS moulded casing.	To be physically checked by the BOO.
8	<u>Scan rate</u> . Minimum 3" to 24"/sec.	To be physically checked by the BOO.
9	<u>Detection</u> Should be able to detect ferrous and Non Ferrous metals. (a) Pistol .22 at min 6" (b) Cartridge .22 at min 2" (c) Razor Blade at min 1"	To be physically checked by the BOO.
10	<u>Tuning</u> . Automatic to ensure equal results on wide range of metals and alloys.	To be physically checked by the BOO.









7-10
167


11.	<p><u>Miscellaneous.</u> The firm should be able to provide the following, as applicable, along with the equipment :-</p> <p>(a) Cleaning Kit.</p> <p>(b) Technical Manual giving full description of the item.</p> <p>(c) User's Hand Book.</p>	<p>(a) For technical literature, undertaking by the OEM/firm, to provide the technical literature along with the delivery of the equipment, will be obtained.</p> <p>(b) Remaining items to be physically checked by the BOO.</p>
-----	--	---



SIT MANISH RAJ, BSF


A.K. Shukla, AC, CUSP



Rajeev Kana, AC, SSB



Shiv Prasad Sati, Ae
ITBP


LT COL A. BALAKRISHNA
OC 30 UNIT


LT COL URENDRA PANT
210 CUSP) HQ NSG







MANOJ KUMAR SINGH
SI SAG

G. (Am)

Approved/Not approved


9/11/16
(Subhash Joshi)
Director General, NSG