

Govt. Opium & Alkaloid Works, Ghazipur (U.P.)**Analysis Result : 2023-24****DATE: 04.05.2024**

S.No.	Division Name	Ch.No.	Cont. No.	Factory Wt. (Kg.)	Consistence (%)	MS% (ODB)	MS Content (In Absolute Term)
1	Barabanki (Bareilly)	01	100	4.060	44.42	15.74	0.2838
2	Barabanki (Bareilly)	01	98	7.120	53.85	13.89	0.5326
3	Barabanki (Bareilly)	01	97	6.760	64.19	14.86	0.6449
4	Barabanki (Bareilly)	01	96	7.300	63.61	14.64	0.6796
5	Barabanki (Bareilly)	01	94	7.090	59.57	14.42	0.6090
6	Barabanki (Bareilly)	01	92	6.970	63.86	14.25	0.6343
7	Barabanki (Bareilly)	01	90	7.490	49.09	15.01	0.5520
8	Barabanki (Bareilly)	01	87	7.350	63.01	15.01	0.6953
9	Barabanki (Bareilly)	01	86	7.370	61.17	15.76	0.7105
10	Barabanki (Bareilly)	01	85	6.320	63.43	15.43	0.6187
11	Barabanki (Bareilly)	01	84	7.550	60.85	15.50	0.7120
12	Barabanki (Bareilly)	01	83	7.870	59.44	14.55	0.6808
13	Barabanki (Bareilly)	01	80	7.350	43.61	13.80	0.4425
14	Barabanki (Bareilly)	01	78	7.580	58.24	13.51	0.5965
15	Barabanki (Bareilly)	01	77	7.520	40.49	11.98	0.3647
16	Barabanki (Bareilly)	01	75	3.750	57.16	14.59	0.3128
17	Barabanki (Bareilly)	01	74	8.340	60.74	14.59	0.7389
18	Barabanki (Bareilly)	01	69	8.300	51.57	13.59	0.5818
19	Barabanki (Bareilly)	01	67	6.540	61.75	9.85	0.3976
20	Barabanki (Bareilly)	01	64	7.690	38.44	14.59	0.4314
21	Barabanki (Bareilly)	01	63	8.000	45.10	13.33	0.4808
22	Barabanki (Bareilly)	01	62	7.720	38.39	15.08	0.4470
23	Barabanki (Bareilly)	01	61	7.630	39.14	14.33	0.4280
24	Barabanki (Bareilly)	01	60	7.920	59.91	14.94	0.7088
25	Barabanki (Bareilly)	01	59	7.970	55.06	14.78	0.6488
26	Barabanki (Bareilly)	01	56	7.640	47.62	14.11	0.5134
27	Barabanki (Bareilly)	01	55	8.120	57.60	14.46	0.6764
28	Barabanki (Bareilly)	01	52	7.760	61.38	14.81	0.7054
29	Barabanki (Bareilly)	01	51	7.920	58.43	14.55	0.6732
30	Barabanki (Bareilly)	01	49	7.480	51.74	15.31	0.5924
31	Barabanki (Bareilly)	01	47	7.840	52.69	14.35	0.5927
32	Barabanki (Bareilly)	01	46	8.170	56.68	15.49	0.7173
33	Barabanki (Bareilly)	01	45	8.340	45.21	13.16	0.4962
34	Barabanki (Bareilly)	01	44	4.950	35.44	13.74	0.2411
35	Barabanki (Bareilly)	01	42	8.080	28.86	13.83	0.3224
36	Barabanki (Bareilly)	01	39	7.940	29.10	14.71	0.3398
37	Barabanki (Bareilly)	01	38	6.370	67.05	15.21	0.6497
38	Barabanki (Bareilly)	01	36	6.930	69.19	14.02	0.6722
39	Barabanki (Bareilly)	01	34	6.440	59.81	14.60	0.5622
40	Barabanki (Bareilly)	01	32	7.010	36.92	14.98	0.3877
41	Barabanki (Bareilly)	01	29	7.100	65.78	14.64	0.6837
42	Barabanki (Bareilly)	01	27	7.150	59.33	14.06	0.5963
43	Barabanki (Bareilly)	01	25	7.160	59.25	14.08	0.5971
44	Barabanki (Bareilly)	01	24	7.390	57.99	14.85	0.6363
45	Barabanki (Bareilly)	01	23	7.180	57.99	13.92	0.5794
46	Barabanki (Bareilly)	01	22	8.040	38.21	13.82	0.4245
47	Barabanki (Bareilly)	01	18	7.680	33.97	13.34	0.3479

48	Barabanki (Bareilly)	01	17	6.730	53.69	14.60	0.5276
49	Barabanki (Bareilly)	01	12	6.160	31.57	16.63	0.3234
50	Barabanki (Bareilly)	01	11	6.810	55.46	14.24	0.5380
51	Barabanki (Bareilly)	01	5	7.650	43.84	9.44	0.3167
52	Barabanki (Bareilly)	01	3	7.300	44.33	13.02	0.4212
53	Barabanki (Bareilly)	01	2	4.850	48.11	12.10	0.2823
54	Barabanki (Bareilly)	01	1	7.910	20.44	15.02	0.2428
55	Bhilwara	01	98	7.560	56.59	13.91	0.5950
56	Bhilwara	01	90	7.640	55.69	13.38	0.5692
57	Bhilwara	01	88	7.500	52.01	14.23	0.5550
58	Bhilwara	01	87	7.360	59.39	12.48	0.5454
59	Bhilwara	01	86	7.870	53.72	13.70	0.5792
60	Bhilwara	01	85	7.770	59.20	11.25	0.5175
61	Bhilwara	01	84	7.670	56.80	13.43	0.5852
62	Bhilwara	01	81	7.710	55.08	13.18	0.5597
63	Bhilwara	01	80	7.720	55.34	14.65	0.6261
64	Bhilwara	01	78	7.560	65.53	13.63	0.6751
65	Bhilwara	01	76	7.350	65.62	12.59	0.6071
66	Bhilwara	01	75	7.570	62.70	12.98	0.6162
67	Bhilwara	01	74	7.620	63.40	12.03	0.5814
68	Bhilwara	01	73	7.720	63.68	11.62	0.5713
69	Bhilwara	01	72	7.430	64.68	12.77	0.6137
70	Bhilwara	01	65	7.760	61.51	12.37	0.5905
71	Bhilwara	01	63	8.180	58.37	12.66	0.6045
72	Bhilwara	01	61	7.710	56.91	13.99	0.6137
73	Bhilwara	01	59	7.230	60.68	9.97	0.4374
74	Bhilwara	01	56	7.290	55.81	11.32	0.4607
75	Bhilwara	01	54	7.660	59.47	12.58	0.5730
76	Bhilwara	01	53	7.630	66.46	13.48	0.6836
77	Bhilwara	01	48	8.000	59.46	12.70	0.6040
78	Bhilwara	01	46	7.970	64.81	10.09	0.5212
79	Bhilwara	01	43	8.380	61.75	14.57	0.7542
80	Bhilwara	01	39	7.740	59.46	12.90	0.5937
81	Bhilwara	01	37	8.400	52.82	13.57	0.6023
82	Bhilwara	01	34	7.780	57.68	13.18	0.5913
83	Bhilwara	01	33	7.910	55.69	13.18	0.5806
84	Bhilwara	01	29	7.560	55.45	13.49	0.5655
85	Bhilwara	01	28	7.570	53.48	14.32	0.5799
86	Bhilwara	01	26	8.210	50.84	13.30	0.5550
87	Bhilwara	01	25	7.760	52.34	13.85	0.5626
88	Bhilwara	01	20	7.360	62.96	14.17	0.6565
89	Bhilwara	01	19	7.470	62.01	14.84	0.6872
90	Bhilwara	01	18	7.980	63.88	13.53	0.6895
91	Bhilwara	01	17	7.620	64.57	13.01	0.6401
92	Bhilwara	01	16	7.980	57.37	14.36	0.6576
93	Bhilwara	01	14	8.110	59.32	13.57	0.6529
94	Bhilwara	01	13	7.910	59.78	14.39	0.6803
95	Bhilwara	01	11	7.700	60.09	14.54	0.6730
96	Bhilwara	01	10	7.580	63.40	13.01	0.6254
97	Bhilwara	01	9	8.060	54.45	13.76	0.6037
98	Bhilwara	01	8	8.010	57.22	13.81	0.6328
99	Bhilwara	01	6	7.950	56.36	12.42	0.5565
100	Bhilwara	01	3	7.290	63.06	14.51	0.6670

1	Barabanki (Bareilly)	01	99	6.880	61.07	14.69	0.6171
2	Barabanki (Bareilly)	01	95	6.860	63.52	14.85	0.6469
3	Barabanki (Bareilly)	01	93	6.930	59.26	13.20	0.5419
4	Barabanki (Bareilly)	01	91	7.000	41.76	14.54	0.4249
5	Barabanki (Bareilly)	01	89	6.580	57.45	15.40	0.5823
6	Barabanki (Bareilly)	01	88	6.710	60.02	15.09	0.6079
7	Barabanki (Bareilly)	01	82	7.170	45.45	14.17	0.4617
8	Barabanki (Bareilly)	01	81	7.420	43.60	13.94	0.4511
9	Barabanki (Bareilly)	01	79	7.630	32.23	15.89	0.3907
10	Barabanki (Bareilly)	01	76	8.380	58.60	13.77	0.6763
11	Barabanki (Bareilly)	01	73	8.190	55.56	11.92	0.5422
12	Barabanki (Bareilly)	01	72	8.370	57.15	14.49	0.6930
13	Barabanki (Bareilly)	01	71	4.690	54.79	13.78	0.3541
14	Barabanki (Bareilly)	01	70	8.020	57.67	14.22	0.6576
15	Barabanki (Bareilly)	01	68	7.120	39.55	16.71	0.4706
16	Barabanki (Bareilly)	01	66	7.330	49.48	13.92	0.5050
17	Barabanki (Bareilly)	01	65	7.550	45.23	14.70	0.5021
18	Barabanki (Bareilly)	01	58	7.900	59.51	13.86	0.6517
19	Barabanki (Bareilly)	01	57	7.820	61.19	15.17	0.7257
20	Barabanki (Bareilly)	01	54	7.800	62.07	14.08	0.6817
21	Barabanki (Bareilly)	01	53	7.980	46.38	13.45	0.4980
22	Barabanki (Bareilly)	01	50	7.990	59.45	13.04	0.6192
23	Barabanki (Bareilly)	01	48	8.290	46.37	14.77	0.5679
24	Barabanki (Bareilly)	01	43	7.380	37.20	15.24	0.4184
25	Barabanki (Bareilly)	01	41	8.800	34.91	14.81	0.4550
26	Barabanki (Bareilly)	01	40	7.940	33.76	14.60	0.3914
27	Barabanki (Bareilly)	01	37	6.900	68.45	13.75	0.6493
28	Barabanki (Bareilly)	01	35	7.480	61.70	14.73	0.6799
29	Barabanki (Bareilly)	01	33	7.900	38.92	14.54	0.4471
30	Barabanki (Bareilly)	01	31	7.610	45.88	14.84	0.5182
31	Barabanki (Bareilly)	01	30	6.320	62.82	14.41	0.5720
32	Barabanki (Bareilly)	01	28	7.140	66.14	14.77	0.6976
33	Barabanki (Bareilly)	01	26	7.360	58.21	15.84	0.6786
34	Barabanki (Bareilly)	01	21	5.560	66.61	15.94	0.5905
35	Barabanki (Bareilly)	01	20	5.740	50.12	14.62	0.4207
36	Barabanki (Bareilly)	01	19	6.720	57.87	15.43	0.6001
37	Barabanki (Bareilly)	01	16	6.990	47.23	13.19	0.4355
38	Barabanki (Bareilly)	01	15	7.030	41.31	13.97	0.4056
39	Barabanki (Bareilly)	01	14	7.010	48.07	12.98	0.4374
40	Barabanki (Bareilly)	01	13	6.990	39.78	15.21	0.4229
41	Barabanki (Bareilly)	01	10	6.980	58.07	15.77	0.6394
42	Barabanki (Bareilly)	01	9	3.320	45.27	12.61	0.1896
43	Barabanki (Bareilly)	01	8	7.260	34.75	13.41	0.3383
44	Barabanki (Bareilly)	01	7	4.970	32.83	12.73	0.2077
45	Barabanki (Bareilly)	01	6	8.320	34.50	15.45	0.4435
46	Barabanki (Bareilly)	01	4	8.360	34.00	11.21	0.3185
47	Bhilwara	01	100	7.420	62.83	14.71	0.6856
48	Bhilwara	01	99	7.580	60.67	13.09	0.6019
49	Bhilwara	01	97	7.390	56.00	13.73	0.5683
50	Bhilwara	01	96	7.420	58.88	13.21	0.5773

51	Bhilwara	01	95	7.820	57.06	14.11	0.6295
52	Bhilwara	01	94	7.600	61.32	13.67	0.6369
53	Bhilwara	01	93	8.030	57.24	11.51	0.5292
54	Bhilwara	01	92	7.520	57.83	12.95	0.5632
55	Bhilwara	01	91	7.620	59.16	14.71	0.6629
56	Bhilwara	01	89	7.660	57.79	12.84	0.5684
57	Bhilwara	01	83	7.990	57.05	12.92	0.5889
58	Bhilwara	01	82	7.320	54.28	15.03	0.5973
59	Bhilwara	01	79	7.270	63.12	11.98	0.5496
60	Bhilwara	01	77	7.390	62.01	14.35	0.6577
61	Bhilwara	01	71	7.570	60.10	12.90	0.5867
62	Bhilwara	01	70	7.410	58.75	14.43	0.6284
63	Bhilwara	01	69	7.680	61.47	13.27	0.6267
64	Bhilwara	01	68	7.700	64.42	12.67	0.6283
65	Bhilwara	01	67	7.170	63.25	13.83	0.6274
66	Bhilwara	01	66	7.330	61.31	13.29	0.5974
67	Bhilwara	01	64	7.460	59.85	13.42	0.5990
68	Bhilwara	01	62	7.640	58.00	11.79	0.5226
69	Bhilwara	01	60	7.520	62.22	11.20	0.5241
70	Bhilwara	01	58	7.500	57.57	12.84	0.5543
71	Bhilwara	01	57	7.570	58.53	11.72	0.5193
72	Bhilwara	01	55	7.270	55.09	12.09	0.4842
73	Bhilwara	01	52	7.970	64.48	13.66	0.7022
74	Bhilwara	01	51	8.080	60.10	13.38	0.6496
75	Bhilwara	01	50	7.700	60.63	13.62	0.6360
76	Bhilwara	01	49	7.540	57.90	14.30	0.6243
77	Bhilwara	01	47	8.450	60.14	13.47	0.6845
78	Bhilwara	01	45	7.810	56.19	13.49	0.5920
79	Bhilwara	01	44	7.450	60.05	12.77	0.5714
80	Bhilwara	01	42	7.760	61.82	13.62	0.6534
81	Bhilwara	01	41	7.720	59.97	12.79	0.5921
82	Bhilwara	01	40	7.740	59.76	12.92	0.5975
83	Bhilwara	01	38	7.590	61.87	14.26	0.6694
84	Bhilwara	01	36	7.850	58.05	13.94	0.6351
85	Bhilwara	01	35	8.150	59.48	12.69	0.6153
86	Bhilwara	01	32	7.760	60.36	13.47	0.6309
87	Bhilwara	01	31	7.730	57.36	13.65	0.6053
88	Bhilwara	01	30	7.610	58.00	15.43	0.6811
89	Bhilwara	01	27	8.150	58.12	8.71	0.4124
90	Bhilwara	01	24	7.560	47.29	14.19	0.5073
91	Bhilwara	01	23	8.280	52.73	12.10	0.5283
92	Bhilwara	01	22	7.950	65.25	14.27	0.7401
93	Bhilwara	01	21	8.360	62.72	12.87	0.6747
94	Bhilwara	01	15	8.050	63.80	13.70	0.7036
95	Bhilwara	01	12	8.010	62.15	12.61	0.6280
96	Bhilwara	01	7	8.000	55.45	12.64	0.5608
97	Bhilwara	01	5	7.760	65.41	13.67	0.6937
98	Bhilwara	01	4	7.390	62.66	14.04	0.6503
99	Bhilwara	01	2	7.440	59.75	14.66	0.6517
100	Bhilwara	01	1	7.450	60.89	13.38	0.6072

अस्वीकरण:-

फसल वर्ष 2023.24 के लिए अफीम फैक्ट्री प्रयोगशाला गाजीपुर के द्वारा अफीम नमूनों के प्राप्त जॉच परिणामों के प्रकाशन यद्यपि पूर्ण सावधानी बरती गयी है फिर भी अफीम उत्पादक किसानों को यह सलाह दी जाती है की विभाग की सुचना के ही अधिकृत माने।