भारतसरकार वित्तमंत्रालय राजस्वविभाग कार्यालय महाप्रबन्धक, शासकीय अफीम एवं क्षारोदकारखाना, गाजीपुर–233001



GOVERNMENT OF INDIA Ministry of Finance Department of Revenue, Office of the General Manager, Govt. Opium & Alkaloid Works, Ghazipur-233001.

टेलिफोन Telephone :0548 2220237

Fax :0548 2220601 Email- goawgzup@gmail.com

F.No.- 2/09/Bld/2024

Date:-15-10-2024

TENDER –NOTICE INVITING TENDER NO : GOAW/GZP/057/2024-25

1. The Office of the General Manager, Govt. Opium & Alkaloid Works, Ghazipur (located nearly 73 KMs from Varanasi) invites online E-tenders in Single Bid (Financial Bid only) from the Parties for the under mentioned work to this notice Inviting Tender.

	Plastering, distempering ,annual	maintena	nce of Ty		5-24) total 24
	ers and renovation of kitchen of ty	-		in Colony no 2	
SI. No	Partic	Qty with unit			
1	Repairs to plaster of thickness 12 sq.meters and under , including c out joints and preparing and plas including disposal of rubbish to t direction of Engineer-in-Charge. coarse sand)	220 Sqm			
	Area in side	24x2	x2.5=	120	
	Area out side side		x2.5=	100	
	Total Area				
2	6 mm cement plaster of mix in celling : 1:3 (1 cement : 3 fine sand)				184 Sqm
	Area in side	Area in side $24x3x2=$		144	
	Area out side side $4x5x2=$		x2=	40	
	Total Area	-		184	
3	Distempering with 1st quality acrylic distember (Ready mix) having VOC content less than 50 grams/ litre of approved brand and manufacture to give an even shade : Old work (one or more coats)Area as SMB No 2 Page No 56 tpye 3 (Qtr no 13-24)2498.64Area as SMB No 2 Page No 77 tpye 2 (Qtr no 13-24)2254.56				4753.20 Sqm
	Tota	4753.2			
4	White washing with lime to give an even shade : Old work (one or more coats)				1316.52 Sqm
	Area as SMB No 2 Page No 56 t 24)	664.32			

	Area as SMB No 2 Page No 77 tpye 2 (Qtr 24)	no 13-	652.20	
	Total Area		1316.52	
5	Finishing walls with Acrylic Smooth exteri Old work (One or more coat applied @ 0.90		2681.60 Sqm	
	Area as SMB No 2 Page No 56 tpye 3 (Qtr 24)	no 13-	1449.92	
	Area as SMB No 2 Page No 77 tpye 2 (Qtr 24)	no 13-	1231.68	
	Total Area		2681.6	
6	Painting with synthetic enamel paint of appr of required colour to give an even shade : O		1075.92 Sqm	
	Area as SMB No 2 Page No 56 tpye 3 (Qtr no 13-24)	3	562.92	
	Area as SMB No 2 Page No 77 tpye 2 (Qtr no 13-24)		513.00	
	Total Area	-	1075.92	
	size as approved by Engineer-in-Charge, in dados, over 12 mm thick bed of cement mor sand) and jointing with grey cement slurry (pointing in white cement mixed with pigmen complete.	t : 3 coarse including		
	Area (kitchen) 9x3.7x	x1.2	39.96	
	9x2.5x	x2.1	47.25	
			87.21	
8	Providing and laying flamed finish Granite stone f patterns, in linear as well as curvilinear portions of the architectural drawings with 18 mm thick stone base of cement mortar 1:4 (1 cement : 4 coarse sar slurry and pointing with white cement lurry admix shade including rubbing, curing and polishing etc. directed by the Engineer-in-Charge : Flamed finish granite stone slab Jet Black, Cherry equivalent. sqm	omplete as per (average) thick with cement matching ecified and as	24.98 Sqm	
	Area (kitchen) 9x3.7x	0.75	24.975	
9	Demolishing R.C.C. work manually/ by mechanic stacking of steel bars and disposal of unserviceable metres lead as per direction of Engineer - in- charg		4.033 Cum	
	Type 3(13-24) New RCC work on place of old and demolised Rcc	8x2.5x0.5x0.1 9x1.5x0.5x0.1	1 0.675	
		2x2.7x0.85x0.1	0.459	
	Type 2(13-24) New RCC work on place of old and demolised Rcc	8x0.6x0.5x0.1	0.24	
	and demonsed KCC	8x1.5x0.5x0.1	0.6	

				4x3x0.5x0.1	0.6	
				2x2.7x0.85x0.	1 0.459	- 1
		Total V	olm		4.033	
10	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm ominal size derived from natural sources).					
	valum (Kitchan		x0.6x0.1=	0.594	-	
	Valuar (Ritchan Slad) 9x1.1x0.0x0.1 Type 3(13-24) New RCC work on 8x2.5x0.5x0.1				1	_
		and demolised Rcc		5x0.5x0.1	0.675	-
				x0.85x0.1	0.459	_
	Type 2(13-24)) New RCC work or		6x0.5x0.1	0.24	
		and demolised Rcc		5x0.5x0.1	0.6	
				x0.5x0.1	0.6	—
				x0.85x0.1	0.459	
		Total Volu	me		4.627	
11	Centering and sh Suspended floor	50.303 Sqm				
	Area o	f kitchen slab	9x1.1	x0.6=	5.94	
	Area as new RC	CC work on place of = 11 times of valum	sed RCC			
					44.363	
	Total area					
					50.303	
12		ent for R.C.C. work on and binding all c			ng, bending,	s 540 Kgs
12	Weight @1.5%	ent for R.C.C. work on and binding all c of RCC work =4.63	omplete upto j	plinth lev Hot rol	ng, bending, lled deformed bars	
	Weight @1.5% x7800=541.71 k	ent for R.C.C. work on and binding all c of RCC work =4.63 gs	omplete upto j x1.5%=0.069	cum	ng, bending, lled deformed bars 540	s
12	Weight @1.5% x7800=541.71 k Providing and fi with C.I. bracke brackets, cutting	ent for R.C.C. work on and binding all c of RCC work =4.63	x1.5%=0.069 A ISI 304 (18 l plug 40 mm, he walls where	cum /8) kitchen sink including paintin ever required Kit	ng, bending, lled deformed bars 540 as per IS:13983 ng of fittings and	s 9 Nos.
	Weight @1.5% x7800=541.71 k Providing and fi with C.I. bracke brackets, cutting	ent for R.C.C. work on and binding all c of RCC work =4.63 gs xing Stainless Steel ts and stainless steel and making good t	x1.5%=0.069 A ISI 304 (18 l plug 40 mm, he walls where	cum /8) kitchen sink including paintin ever required Kit	ng, bending, lled deformed bars 540 as per IS:13983 ng of fittings and	s 9 Nos.
	placing in positionWeight @1.5%x7800=541.71 kProviding and fiwith C.I. bracketbrackets, cuttingdrain board 610Providing and finon-decorative twood and well mbands and face w	ent for R.C.C. work on and binding all c of RCC work =4.63 gs xing Stainless Steel ts and stainless steel and making good t ix460 mm bowl dep	A ISI 304 (18 A ISI 304 (18 l plug 40 mm, he walls where th 200 mm eac sh door shutter board construct 3 ply veneering so of shutters: 3	cum /8) kitchen sink including paintin ever required Kit th rs conforming to tion with frame on ng with vertical g	ng, bending, lled deformed bars 540 as per IS:13983 ng of fittings and schen sink without 9 IS :2202 (Part I) of 1st class hard grains or cross	s 9 Nos. t 7.77 Sqm
13	placing in positionWeight @1.5%x7800=541.71 kProviding and fiwith C.I. bracketbrackets, cuttingdrain board 610Providing and finon-decorative twood and well mbands and face w	ent for R.C.C. work on and binding all c of RCC work =4.63 gs xing Stainless Steel ts and stainless steel and making good t x460 mm bowl dep Total Nos xing ISI marked flue ype, core of block b natched commercial veneers on both face	A ISI 304 (18 A ISI 304 (18 l plug 40 mm, he walls where th 200 mm eac sh door shutter board construct 3 ply veneering so of shutters: 3	cum /8) kitchen sink including painting ver required Kitch rs conforming to tion with frame of ng with vertical groups 30 mm thick incl	ng, bending, lled deformed bars 540 as per IS:13983 ng of fittings and schen sink without 9 IS :2202 (Part I) of 1st class hard grains or cross	s 9 Nos. t 7.77 Sqm
13	placing in positive Weight @1.5% x7800=541.71 k Providing and fi with C.I. brackee brackets, cutting drain board 610 Providing and fi non-decorative t wood and well m bands and face w Stainless Steel b	ent for R.C.C. work on and binding all c of RCC work =4.63 gs xing Stainless Steel ts and stainless steel and making good th x460 mm bowl dep Total Nos xing ISI marked flu ype, core of block b natched commercial reneers on both face utt hinges with nece	x1.5%=0.069 A ISI 304 (18 l plug 40 mm, he walls where th 200 mm eac sh door shutte oard construct 1 3 ply veneering so f shutters: 3 essary screws	cum /8) kitchen sink including paintin ever required Kitch rs conforming to tion with frame of ng with vertical g 30 mm thick include eter)	ng, bending, lled deformed bars 540 as per IS:13983 ng of fittings and schen sink without 9 IS :2202 (Part I) of 1st class hard grains or cross uding ISI marked	s 9 Nos. t 7.77 Sqm
13	placing in positionWeight @1.5%x7800=541.71 kProviding and fiwith C.I. brackeebrackets, cuttingdrain board 610Providing and finon-decorative twood and well mbands and face wStainless Steel bQtr No	ent for R.C.C. work on and binding all c of RCC work =4.63 gs xing Stainless Steel ts and stainless steel and making good the x460 mm bowl deputed Total Nos xing ISI marked flue ype, core of block b natched commercial reneers on both face utt hinges with nece Req no	x1.5%=0.069 A ISI 304 (18 l plug 40 mm, he walls where th 200 mm eac sh door shutter board construct l 3 ply veneering so f shutters: 3 essary screws size (m	cum /8) kitchen sink including painting ver required Kitch rs conforming to ion with frame of ng with vertical g 80 mm thick include eter) 0.9	ng, bending, lled deformed bars 540 as per IS:13983 ng of fittings and chen sink without 9 IS :2202 (Part I) of 1st class hard grains or cross uding ISI marked Area	s 9 Nos. t 7.77 Sqm
13	placing in positionWeight @1.5%x7800=541.71 kProviding and fiwith C.I. bracketbrackets, cuttingdrain board 610Providing and finon-decorative twood and well mbands and face wStainless Steel bQtr No20	ent for R.C.C. work on and binding all c of RCC work =4.63 gs xing Stainless Steel ts and stainless Steel ts and stainless steel g and making good the x460 mm bowl deputed Total Nos xing ISI marked flue ype, core of block b natched commercial veneers on both face utt hinges with nece Req no 2	x1.5%=0.069 A ISI 304 (18 l plug 40 mm, he walls where th 200 mm eac sh door shutter oard construct 3 ply veneering so f shutters: 3 essary screws size (m 2.1x(cum /8) kitchen sink including painting ver required Kitch rs conforming to tion with frame of ng with vertical groups 30 mm thick include eter)).9	ng, bending, lled deformed bars 540 as per IS:13983 ng of fittings and chen sink without 9 IS :2202 (Part I) of 1st class hard grains or cross uding ISI marked <u>Area</u> 3.78	s 9 Nos. t 7.77 Sqm

15	Providing and fixing panelle windows and clerestory win with necessary screws, exclu- separately, all complete as p Butt hinges and necessary sc and chemically treated hollo treated hollock wood 30 mm	8.1 Sqm				
	Total area		20x0.9x0.45	8.1		
16A	Providing and fixing panelling o glazed shutters for doors, windo panel inserts excluding portion for panelled or panelled and gla Float glass panes 4 mm thic sqm	3.6 Sqm				
	Total Area =		10x0.8x0.45	3.6		
168	Providing and fixing panelling or panelling and glazing in panelled or panelled and glazed shutters for doors, windows and clerestory windows (Area of opening for panel inserts excluding portion inside grooves or rebates to be measured). Panelling for panelled or panelled and glazed shutters 25 mm to 40 mm thickFly proof stainless steel grade 304 wire gauge with 0.5 mm dia. wire and 1.4mm wide aperture with matching wood beading sqm					
	Total Area = 10x.8x.45 3.6					

2. CRITICAL DATES OF TENDER

Sl.No.	Particulars	Date & Time
1.	Uploading on CPP Portal and Department's web-site	17.10.2024 at 18:00 hrs
2.	Bid Submission Start Date & Time	17.10.2024 at 18:00 hrs
3.	Bid Submission End Date & Time	07.11.2024 at 15:00 hrs
4.	Bid Opening Date & Time	08.11.2024 at 15:00 hrs

3. Tender Documents may be downloaded from Central Public Procurement Portal (CPPP) site http://eprocure.gov.in/eprocure/app as per the schedule given in the times schedule for tender as above. Aspiring Bidders who have not enrolled/registered for e-procurement should enrolled/ registered before participating through the website <u>http://eprocure.gov.in/eprocure/app</u>. The Portals enrolment is free of Cost. Bidder shall submit their quotation Online on http://eprocure.gov.in/eprocure/app as per the tender document published. Bidders are requested to follow the instructions carefully as per the tender document and the instrument given in the above said website.

4. The tenders shall be submitted **online**, in one part viz. Financial Bid, along with all the tender **documents**. The format of Financial Bid is given in BOQ. All the pages of the bid must be sequentially

numbered and signed. Over writing, if any, has to be duly certified/attested by the bidder or his authorized signatory irrespective of nature of content of the documents before uploading. Bids submitted without copies of documents specified shall be summarily rejected. The offers submitted through any means other than uploading on the CPPP website https://eprocure.gov.in/eprocure/app shall not be considered. No correspondence will be entertained in this matter.

5. Interested parties are advised to visit CPPP website <u>https://eprocure.gov.in/eprocure/app</u>regularly till closing date of submission of tender for any corrigendum/ addendum/ amendment.

6. In the event of any of the above-mentioned date being subsequently declared as a holiday/closed day for this office, the tenders will be opened on the next working day at the scheduled time without any furthernotice.

7. Interested parties may also download the tender from the official website<u>www.goaf.gov.in</u>. The bids, complete in all respects should be submitted exclusively through the Government eprocurement portal<u>https://eprocure.gov.in/eprocure/app on or before 03.00 PM on 07.11.2024</u>.

8. For any clarification Shri Ajay Kumar Rai, Factory Engineer, GOAW, Ghazipur may be contacted at the office or on telephone number or Mobile number given below:

Tel. No. 0548-2221201 (Office) Mob.No. 9455495210.

-sd/-

Manager GOAW, Ghazipur Enclosures:

- (i) Annexure–A(Terms& conditions)
- (ii) Annexure–B(General Information for Tenderers)
- (iii) Annexure –C (Amount of EMD to be deposited)
- (iv) Annexure- D (Tender Acceptance Letter)
- (v) Annexure E (Special Instructions for-submission of bids)

Annexure-A

नियम एवं शर्तें

(।) TenderE-procurement की website पर जारी BOQ में ही प्रस्तुत किया जाना चाहिए, अन्यथा उस पर विचार नहीं किया जायेगा।

(II) अपंजीकृत फर्मों के द्वारा Tender दिए जाने के समय (Bid Security) रूo <mark>28000/-</mark> (डिमांड ड्राफ्ट,एफ.डी.आर.,बैकर्स चेक एवं बैक गारंटी के रूप में) अग्रिम जमानत राशि, सहायक मुख्य लेखाधिकारी, शासकीय अफीम एवं क्षारोद कारखाना, गाजीपुर के नाम जमा करना होगा |अग्रिम जमानत राशि टेण्डर के साथ न होने की स्थिति में, टेण्डर पर विचार नहीं किया जाएगा।

(III) न्यूनतम दर दाता को विभाग द्वारा सूचना देने के अनुसार सामग्री के कुल लागत का 5 से 10 प्रतिशत(Performance Security) (डिमांड ड्राफ्ट,एफ.डी.आर.,बैकर्सचेक एवं बैक गारंटी के रूप में) जमानत राशि, सहायक मुख्य लेखाधिकारी, शासकीय अफीम एवं क्षारोद कारखाना, गाजीपुर के नाम जमा करना अनिवार्य होगा।

(IV) न्यूनतम दरदाता को Performance Security जमा कर ने हेतु विभाग द्वारा जारी आदेश पत्र में निर्धारित तिथि तक यदि Performance Security जमा नही की जाती है तो सम्बन्धित दर दाता को कार्य आदेश न देकर उस की निविदा को निरस्त किया जा सकता है एवं साथ ही न्यूनतम दर दाता द्वारा जमा Bid Security जब्त की जा सकती है।

(V) फर्मो द्वारा प्रस्तुत दरो की तुलना वस्तुओं के कुलमूल्य (FOR, GOAW Ghazipur) टैक्स सहित जोड़कर किया जायेगा।

(VI) फर्मों द्वारा दिए गए दर की वैद्यता Tender खोले जाने के तिथि/दिन से 90 (नब्बे) दिन की हागी। इस सम्बन्ध में 90 दिन से कम की वैद्यता मान्य नहीं होगी। Bidder द्वारा कम दिनों की वैद्यता देने की दशा में उनके कोटेशन पर विचार नहीं किया जाएगा।

(VII) उपरोक्त कार्य को आदेश प्राप्ति के लगभग 45 दिनों के भीतर करनी होगी। कार्य को सम्पूर्ण करने की वास्तविक अवधि / तारीख, कार्य आदेश में दी जाएगी तथा इस सम्बन्ध में, कार्य सम्पूर्ण होने की अधिक समय की मॉग बिना समुचित कारण के स्वीकार्य नही होगी।आपूर्तिकर्त्ता द्वारा Tender Submit किए जाने की स्थिति में यह माना जायेगा कि कार्य सम्पूर्ण करने हेतु दी गयी समय-सीमा एव अन्य शर्ते उन्हें पूर्णतया मान्य है। कार्यकर्ता द्वारा कार्य सम्पूर्ण करने हेतु ज्यादा अवधि मॉगे जाने की स्थिति में उस्ते करने हेतु ज्यादा अवधि मॉगे जाने की स्थिति में उस्ते करने हेतु ज्यादा अवधि मॉगे जाने की स्थिति में उस्ते कार्य करने हेतु अनिच्छुक समझा जायेगा यदि वह विभाग द्वारा कार्य सम्पूर्ण करने हेतु दी गयी समय सीमा (बढ़ायी गयी समय सीमा) को मिलाकर) में कार्य सम्पूर्ण करने हेतु राजी नहीं होता है या दी गयी समय सीमा में कार्य सम्पूर्ण करने में असमर्थ रहता है।

(VIII) कार्यसम्पूर्ण करने के लिए दिये गये कार्य आदेश में वर्णित कार्य अवधि को बढ़ाने का प्रार्थना पत्र फर्म को विशेष परिस्थिति के उपरांत ही कार्य समाप्ति के तिथि के 15 दिन पहले कार्यालय में देना होगा जिसे सक्षम अधिकारी के संतुष्टि के उपरांत कार्य अवधि बढ़ाया जायेगा, यदि ऐसा नहीं होने पर कार्य अवधि नहीं बढ़ाया जायेगा उसे विलंब माना जायेगा या कार्य अवधि के विलंब से कार्य करने पर निम्नांकित कटौती किया जाएगा।

- i. 07 (सात) दिन तक के विलम्ब पर मूल्य से 2 % (दो प्रतिशत) कटौती
- ii- 15 (पंद्रह) दिन तक के विलम्ब पर मूल्य से 5 % (पाँच प्रतिशत) कटौती
- iii- 30 (तीस) दिन तक के विलम्ब पर मूल्य से 10 % (दस प्रतिशत) कटौती
- iV कार्य समाप्ति तिथि से कुल 30 दिन के अधिक विलंब होने पर, 10% (दस प्रतिशत) की कटौती के साथ फर्म को एक वर्ष के लिए ब्लैकलिस्ट कर दिया जायेगा I

(IX) प्रतिष्ठान के सुरक्षा क्षेत्र में कार्य सम्पूर्ण करने हेतु जाने के लिए गेट पास जारी होने के पश्चात् प्रवेश करना होगा। कार्य हेतु सुरक्षा क्षेत्र में जाने के लिए ठेकेदार द्वारा श्रमिकों कोलेजाने के लिए उनके पहचान पत्र जैसे कि आधारकार्ड / ड्राइवरी लाइसेंस (जिसमें कि सम्पर्ण पता लिखा हों) जिसक आधार पर ही पास जारी किया जायेगा।

(X) वी.पी.पी. आधार पर लेनदेन स्वीकार्य नहीं होगा तथा कार्य सम्पूर्ण होने तथा वैरीफाई होने के बाद लगभग 15 से 20 दिनों के अन्दर बिना किसी ब्याज के भुगतान किया जायेगा।

(XI) निविदा धारक के द्वारा अन्य कोई शर्तें मान्य नहीं होगी।दरदाता द्वारा अपनी तरह से अन्य शर्तें देने की दशा में उसे अनिच्छु कमा ना जायेगा, तथा ऐसे कोटेशनों को बिना कोई कारण बतायें स्वतः निरस्त समझा जायेगा।

(XII) कार्य को सम्पूर्ण होने में अयुक्तियुक्त (unreasonable) देरी होने से कार्य आदेश, कार्य आदेश जारी होने से पूर्व किसी भी समय निरस्त किया जा सकता है। इस सम्बन्ध में मुख्य नियंत्रक या महाप्रबंधक (कार्य के सक्षमता के अनुसार)का निर्णय अन्तिम एवं मान्य होगा।

(XIII) देरी से (निर्धारित या बढ़ी हुई समय सीमा के बाद) कार्य करने पर निविदा कर्ता को कार्य आदेश में दिए गए नियमों के अनुसार जुर्माना देना होगा।

(XIV) यह प्रतिश्ठान केन्द्रीय नियम (सेंट्रल रूल) सं0 195/1957 के अन्तर्गत पंजीकृत है एवं प्रतिष्ठान का जी.एस.टी. सं0 09AAAGG0195B1ZSहै।

(XV) मुख्य नियंत्रक या महाप्रबंधक (कार्य के सक्षमता के अनुसार)के पास किसी या सभी निविदाओं को निरस्त करने का अधिकार होगा जिसके लिए कोई भी सूचना देना आवश्यक नहीं होगा।

(Note The tenders shall be accepted only the registered contractors in CPWD/PWD/MES)

-signed-Manager, GOAW, Ghazipur

ANNEXURE-B

Ministry of Finance, Dept. of Revenue, Govt. Opium & Alkaloid Works, Ghazipur(U.P)

TENDER No. : GOAW/GZP/057/2024-25

TENDER DOCUMENTS GENERAL INFORMATION FOR THE TENDERERS

1. With reference to this office tender notice issued vide F.No-2/09/Bld/2024 dated 15.10.2024, online tenders are invited for Plastering, distempering ,annual maintenance of Type 3(13-24), Type 2(13-24) total 24 Quarters and renovation of kitchen of type II (9 Quarters) in Colony no 2 from established/ reputed manufacturers/ distributors or their accredited agents as per specification enclosed with the Tender Documents.

2. Last date for uploading of tenders is up to 15:00 Hrs. of 07.11.2024. Tenders uploaded after due date, time and not in prescribed tender document will not be considered. The tenders are to be submitted (Uploaded) in the prescribed Tender Documents, in respective covers.

3. Tenders uploaded up to prescribed time and date will be opened on 08.11.2024 at 15.00 HRS

4. Financial Bid in the prescribed format as per BOQ shall be duly filled in and signed by the authorized signatory and uploaded online by the bidder along with the self-attested and stamped scanned copies of the following documents:-

Cover-I

- a. Scanned Copy of the current and valid Trade License and Dealership Certificate as applicable and CPWD/PWD/MES certificate attached.
- b. Scanned Copy of the current and valid GST Registration Certificate.
- c. Tender Acceptance Letter in format given in Annexure-D
- d. Scanned Copy of EMD.
- e. A Self declaration on stamp paper shall be submitted not older than three month from tender starting date duly notarized to the effect that the firm is not BLACK LISTED for Government transaction by any Department / PSU of Government of India.
- f. The Financial Bid (as in BOQ) shall be duly filled in, digitally signed and uploaded online by the bidder.

Financial bid should be submitted online through Central Public Procurement Portal e-tender system website <u>http://eprocure.gov.in/eprocure/app</u>. Off line Bids shall not be accepted.

Note :

- 1. Price Bid in BOQ Excel form.
- 2. Price bid format may be download from e-procurement site <u>https://eprocure.gov.in/eprocure/app/</u>
- 3. Tenderers should not modify the price bid.

- 4. In case the tenderer fails to submit any of the documents as stated above, Financial bids of the bidder shall not be considered for opening and shall be rejected straight away without any further reference.
- 5. If it is noticed that the goods supplied do not conform to the specification of the order, GOAW, Ghazipur shall have the right to reject the materials in part or full. The supplier shall be liable to replace the rejected materials within the stipulated time. Till the replacement is done, the rejected materials shall be lying at the risk, cost and responsibility of thesupplier.
- 6. Earnest Money of the unsuccessful tenderers shall be released after finalization of the tender, as per General Financial Rules 2017. Interest on the Earnest Money Deposit / Security Deposit will not be paid on any score, what-so-ever.
- 7. A Self declaration on stamp paper shall be submitted duly notarized to the effect that the firm is not BLACK LISTED for Government transaction by any Department / PSU of Government of India.
- 8. The General Manager, Govt. Opium & Alkaloid Works, Ghazipur reserves the right to reject or accept any tender without assigning any reason.
- 9. Item-wise evaluation of each item shall be done and supply order of individual item may be issued based on L1 according to the recommendation of Tender Opening Committee.

-Signed-Manager, GOAW, Ghazipur

Detailed of amount of EMD to be deposited

Sr no.	Name of Items	Amount of EMD to be deposited in INR.
1.	Plastering, distempering ,annual maintenance of Type 3(13-24), Type 2(13-24) total 24 Quarters and renovation of kitchen of type II (9 Quarters) in Colony no 2	Rs. 28,000/-

TENDER ACCEPTANCE LETTER

Τo,

The General Manager Govt. Opium and Alkaloid Works, Ghazipur(U.P.)

Sir,

Subject: Acceptance of Terms & Conditions of tender.

Tender Reference No:_____

 1. I/ We have downloaded / obtained the tender document(s) for the above-mentioned tender

 tender
 from

 the
 website(s)namely

as per your advertisement,

given in the above mentioned website(s).

2. I / We hereby certify that I / we have read the entire terms and conditions of the tender documents (including all documents like annexure(s), schedule(s), etc., which form part of the tender document) and signed on all the pages of the terms & conditions. I/we shall abide by the terms /conditions /clauses contained therein.

3. The corrigendum(s), issued from time to time by your department too have also been taken into consideration, while submitting this acceptance letter.

- 4. I / We hereby unconditionally accept the tender conditions of above mentioned tender document(s) / corrigendum(s) in its totality /entirety.
- 5. I / We do hereby declare that we have not been blacklisted/ debarred by any Govt. Department/Public sector undertaking.
- 6. I / We certify that all information furnished by me/ us/ our firm is true & correct and, in the event, that the information is found to be incorrect/untrue or found violated, then your department shall without giving any notice or reason thereof, shall summarily reject the Bid, without prejudice to any other rights or remedy.
 - 7. I / We certify that my firm is registered in CPWD/ PWD/MES.

Yours sincerely

Signature:

Name of the Authorised Signatory:

Designation:

Seal/Stamp:

Date:

Address:

Govt. Opium and Alkaloid Works Ghazipur (U.P.) <u>Tender ReferenceNo. : GOAW/GZP/057/2024-25</u>

Special Instructions for e-submission of bids

- 1. The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.
- More information useful for submitting online bids on the CPP Portal may be obtained at <u>https://eprocure.gov.in/eprocure/app</u>
 REGISTRATION
 - a. Bidders are required to enrol on the e-Procurement module of the Central Public Procurement Portal (URL:<u>https://eprocure.gov.in/eprocure/app</u>) by clicking on the link "Online bidder Enrolment" on the CPP Portal which is free of charge.
 - b. As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
 - c. Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
 - d. Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / n Code / e-Mudhra etc.), with their profile.
 - e. Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSC's to others which may lead to misuse.
 - f. Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC /e-Token.

SEARCHING FOR TENDER DOCUMENTS

- i. There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.
- ii. Once the bidders have selected the tenders they are interested in, they may download the required documents/ tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS /e-mail in case there is any corrigendum issued to the tender document.

iii. The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

PREPARATION OF BIDS

- a. Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- b. Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- c. Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF/JPG formats. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.
- d. To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" or "Other Important Documents" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

SUBMISSION OF BIDS

- i. Bidder should log into the site well in advance for bid submission so that they can upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- ii. The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- iii. The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- iv. The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- v. Upon the successful and timely submission of bids (i.e. after Clicking "Freeze Bid Submission" in the portal), the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- vi. The bid summary has to be printed and kept as an acknowledgement of the submission of the bid. This acknowledgement may be used as an entry pass for any bid opening meetings.

ASSISTANCE TO BIDDERS

- 1. Any enquiries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal helpdesk. The contact number for the helpdesk is 1800 2337315.

.....