

भारत सरकार  
वित्त मंत्रालय  
राजस्व विभाग  
कार्यालय महाप्रबन्धक,  
शासकीय अफीम एवं क्षारोद कारखाना,  
नीमच.458441 (म.प्र.)



GOVERNMENT OF INDIA  
Ministry of Finance  
Department of Revenue,  
Office of the General Manager,  
Govt. Opium - Alkaloid Works,  
Neemuch-458441 (M.P.)

टेलिफोन Telephone : 07423-220199

Fax : 07423-220647

Email- gmopiumnmh@dataone.in

F.NO. I(20)047/CIVIL/2021

DATE: 11.03.2023

**NOTICE INVITING TENDER No:**  
**GOAW/CIVIL/02/2022-23**

1. The Office of the General Manger, Government Opium and Alkaloid Works Neemuch invites limited tender for the **Waterproofing Work And Repair Work Of CISF Fire Control Room**, GOAW, Neemuch. Those civil contractors who are registered with CPWD, State PWD are eligible for bidding in this tender. The details of the work to be carried out is mentioned in "Annexure A" of this notice inviting tender.

**2 . CRITICAL DATES OF TENDER**

Sl. No.	Particulars	Date & Time
1	Publish Date & Time	11.03.2023 & 18:00 Hrs
2	Sale / Document Download Start Date & Time	11.03.2023 & 18:00 Hrs
3	Sale / Document Download End Date & Time	17.03.2023 & 15:00 Hrs
4	Bid Submission Start Date & Time	11.03.2023 & 18:00 Hrs
5	Bid Submission End Date & Time	17.03.2023 & 15:00 Hrs
6	Bid Opening Date & Time	18.03.2023 & 15:30 Hrs

3. Tender documents may be downloaded from Central Public Procurement Portal (CPPP) site <http://eprocure.gov.in/eprocure/app> as per the schedule given in time schedule for tender as above. Aspiring Bidders who have not enrolled/registered for e-procurement should enroll/register before participating through the website <http://eprocure.gov.in/eprocure/app>. The portal enrolment is free of cost. Bidders shall submit their quotation online on <http://eprocure.gov.in/eprocure/app> as per the tender document published. Bidders are requested to follow the instructions carefully as per the tender document and the instructions given in the above said website.

4. The tenders shall be submitted **online along with all the tender documents**. The format of Financial Bid is given in BOQ. All the pages of the bid must be sequentially numbered and signed. Over writing, if any, has to be duly certified/ attested by the bidder or his authorized signatory irrespective of nature of content of the documents before uploading. Bids submitted without copies of documents specified shall be summarily rejected. The offers submitted through any means other than uploading on the CPPP website <https://eprocure.gov.in/eprocure/app> shall not be considered. No correspondence will be entertained in this matter.
5. Interested parties are advised to visit CPPP website <https://eprocure.gov.in/eprocure/app> regularly till closing date of submission of tender for any corrigendum/ addendum/ amendment.
6. In the event of any of the above-mentioned date being subsequently declared as a holiday/closed day for this office, the tenders will be opened on the next working day at the scheduled time without any further notice.
7. Interested parties may also download the tender from the official websites [www.goaf.gov.in](http://www.goaf.gov.in) & The bids, complete in all respects should be submitted exclusively through the Government e-procurement portal <https://eprocure.gov.in/eprocure/app> on or before **03.00 PM on 17.03.2023**.
8. For any clarification Shri N. M. Rudresh , FM Civil, GOAW, Neemuch may be contacted at the office or on telephone number Tel. No. 07423-220604 (Office) and Shri Ajay Kumar Gupta, UDC at Mo. No.7834891770

/

*N. M. Rudresh*  
N. M. Rudresh 11/3/23  
(FM Civil)

Enclosures Details :

<b>S. No.</b>	<b>Enclosures</b>	<b>Details of enclosures</b>
1	Annexure – A	Work specification and description
2	Annexure – B	General information for the tenderes & Terms and conditions
3	Annexure – C	Tender Acceptance Letter
4	Annexure – D	Special instructions for e – submission of bids
5	Annexure – E	Amount of EMD to be deposited
6	Annexure – F	Format of Non Blacklisting Certificate

## ANNEXURE- A

Sr. No.	Description Of Work	QTY.
01	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge	
	In cement mortar	6 cum
	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.	
	Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)	1.8 cum
02	Carriage of debris(rocks) by mechanical means upto 2 km distance	7.8 cum
03	Grading roof for water proofing treatment with	
	Cement concrete 1:2:4(1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size)	13.5 cum
04	Providing and laying in situ five course water proofing treatment with APP (Atactic Polypropylene) modified Polymeric memberane over roof consisting of first coat of bitumen primer @ 0.40 litre per sqm, 2nd & 4th courses of bonding material @ 1.20 kg/sqm, which shall consist of blown type bitumen of grade 85/25 conforming to IS : 702, 3rd layer of roofing membrane APP modified Polymeric membrane 2.0 mm thick of 3.00 Kg/ sqm weight consisting of five layers prefabricated with centre core as 100 micron HMHDPE film sandwiched on both sides with polymeric mix and the polymeric mix is protected on both side with 20 micron HMHDPE film. 5th, the top most layer shall be finished with brick tiles of class designation 10 grouted with cement mortar 1:3 (1 cement : 3 fine sand) mixed with 2% integral water proofing compound by weight of cement over a 12 mm layer of cement mortar 1:3 (1 cement : 3 fine sand) and finished neat (item of laying brick tiles shall be paid for separately).	280 sqm
05	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion. (i) Single socketed pipes.	
	75 mm diameter	25 m
06	12 mm Cement Plaster of mix	
	1:4 (1 cement: 4 coarse sand)	10 sqm
07	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required.	
	In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works	435 kg
08	Providing and fixing fly proof stainless steel grade 304 wire gauge, to windows and clerestory windows using wire gauge with average width of aperture 1.4 mm in both directions with wire of dia. 0.50 mm all complete.	
	With 12 mm mild steel U beading	12 sqm
09	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm	

	sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required :	
	One urinal basin with 5 litre white P.V.C. automatic flushing cistern	4
10	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:	
	White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps	2
11	Providing and fixing factory made P.V.C. door frame of size 50x47 mm with a wall thickness of 5 mm, made out of extruded 5mm rigid PVC foam sheet, mitred at corners and joined with 2 Nos of 150 mm long brackets of 15x15 mm M.S. square tube, the vertical door frame profiles to be reinforced with 19x19 mm M.S. square tube of 19 gauge, EPDM rubber gasket weather seal to be provided through out the frame. The door frame to be fixed to the wall using M.S. screws of 65/100 mm size, complete as per manufacturer's specification and direction of Engineer-in-Charge.	10 m
12	Providing and fixing factory made panel PVC door shutter consisting of frame made out of M.S. tubes of 19 gauge thickness and size of 19 mm x 19 mm for styles and 15x15 mm for top & bottom rails. M.S. frame shall have a coat of steel primers of approved make and manufacture. M.S. frame covered with 5 mm thick heat moulded PVC 'C' channel of size 30 mm thickness, 70 mm width out of which 50 mm shall be flat and 20 mm shall be tapered in 45 degree angle on both side forming styles and 5 mm thick, 95 mm wide PVC sheet out of which 75mm shall be flat and 20 mm shall be tapered in 45 degree on the inner side to form top and bottom rail and 115 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered on both sides to form lock rail. Top, bottom and lock rails shall be provided both side of the panel. 10 mm (5 mm x 2 ) thick, 20 mm wide cross PVC sheet be provided as gap insert for top rail & bottom rail, paneling of 5 mm thick both side PVC sheet to be fitted in the M.S. frame welded/ sealed to the styles & rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent cement adhesive. An additional 5 mm thick PVC strip of 20 mm width is to be stuck on the interior side of the 'C' Channel using PVC solvent adhesive etc. complete as per direction of Engineer-in-charge, manufacturer's specification & drawing.	
	30 mm thick pre laminated PVC door shutters	4 sqm
13	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand), Jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc., complete	32 sqm
14	Tile work in skirting, risers of steps and dado up to 2 m height over 12	

	mm thick bed of cement mortar 1:3 (1 cement :3 coarse sand) and jointed with grey cement slurry @ 3.3 kg/sqm, including pointing in white cement mixed with pigment of matching shade complete.	
	Marble tiles (polished) Raj Nagar	
	8 mm thick	54 sqm
15	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge.	
	25 mm nominal dia Pipes	14 m
16	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing:	
	1:2:4 (1 Cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	0.5 cum
17	Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface :	
	Water thinnable cement primer	120 sqm
18	Providing and laying flamed finish Granite stone flooring in required design and patterns, in linear as well as curvilinear portions of the building all complete as per the architectural drawings with 18 mm thick stone slab over 20 mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand) laid and jointed with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing, curing and polishing etc. all complete as specified and as directed by the Engineer-in-Charge :	
	Flamed finish granite stone slab Jet Black, Cherry Red, Elite Brown, Cat Eye or equivalent.	4.1 sqm

*N.M. Rudresh*  
11/3/23

(N M RUDRESH)  
FOREMAN CIVIL/  
INDENTING OFFICER

## ANNEXURE-B

Ministry of Finance, Dept. of Revenue, Govt.  
Opium & Alkaloid Works, Neemuch (M.P)

TENDER No. : GOAW/CIVIL/01/2022-23

### TENDER DOCUMENTS

### GENERAL INFORMATION FOR THE TENDERERS

1. With reference to this office tender notice issued vide F.NO. I(20)047/Civil/2022 dated 11.03.2023, tenders are invited from Civil Contractors registered with CPWD, State PWD etc, for the cleaning and covering of the drainage in the Alkaloid colony.
2. Last date for uploading of tenders is up to 15:00 Hrs. of 17.03.2023. Tenders uploaded after due date, time and not in prescribed tender document will not be considered. The tenders are to be submitted (Uploaded) in the prescribed Tender Documents, in respective covers.
3. Tenders uploaded up to prescribed time and date will be opened on 17.03.2023 at 15.30 HRS
4. Bids in the prescribed format as per Annexure B shall be duly filled in and signed by the authorized signatory and uploaded online by the bidder in Cover-I along with the self-attested and stamped scanned copies of the following documents: -

#### Cover-I

- a. Scanned copy of the current and valid GST Registration Certificate.
- b. Tender Acceptance Letter in format given in Annexure-C
- c. Scanned copy of EMD.
- d. A self declaration on stamp paper shall be submitted duly notarized to the effect that the firm is not blacklisted for any transaction by any department /PSU of Government of India.
- e. The Financial Bid as in BOQ excel form shall be duly filled in, digitally signed and uploaded online by the bidder.

Bids should be submitted online through Central Public Procurement Portal e-tender system website <http://eprocure.gov.in/eprocure/app>. Off line Bids shall not be accepted.

Financial bid should be submitted online through Central Public Procurement

Portal e-tender system website <http://eprocure.gov.in/eprocure/app>. Off line Bids shall not be accepted.

Note :

- Price Bid in BOQ Excel form.
- Price bid format may be download from eprocurement site <https://eprocure.gov.in/eprocure/app/>
- Tenderers should not modify the price bid.

➤ In case the tenderer fails to submit any of the documents as stated above, Financial bids of the bidder shall not be considered for opening and shall be rejected straight away without any further reference..

5. A Self declaration on stamp paper shall be submitted duly notarized to the effect that the firm is not BLACK LISTED for Government transaction by any Department / PSU of Government of India.
6. The General Manager, Govt. Opium & Alkaloid Works, Neemuch reserves the right to reject or accept any tender without assigning any reason.

*N.M. Rudresh*  
11/3/23  
N. M. Rudresh  
(FM CIVIL)




## TERMS AND CONDITIONS

1. Tenders not strictly in conformity with the specifications of the work given in the tender form shall not be considered.
2. The Bid Security/EMD as mentioned in annexure – E in the form of A/c payee demand draft, fixed deposit receipt, Bankers Cheque or Bank Guarantee from any of the commercial Banks drawn in favour of Assistant Accounts Officer, Govt. Opium and Alkaloid Works, Neemuch (except Micro and small enterprises (MSEs) as defined in MSE procurement policy issued by department of Micro, Small and Medium Enterprises (MSME) or registered with the Central Purchase Organization or the concerned Ministry or department must be accompanied along with duly signed terms and condition and self declaration.

The bid security is to be valid for a period of forty five days beyond the final bid validity period. The EMD of unsuccessful bidder shall be released at the earliest after expiry of the final bid validity and latest on or before the 30<sup>th</sup> day after the award of the supply of the material will be made to the GOAW, Neemuch.

3. Rates should be quoted on F.O.R. Neemuch basis (inclusive of all taxes/levies applicable). Neemuch is located 135 kms from Ratlam (MP) and 55Kms from Chittorgarh (Rajasthan).
4. In case of delay or failure to execute the Work Order (s) against the contract, the General Manager, Govt. Opium & Alkaloid Works, Neemuch without prejudice to any other right, under laws, shall have the option :
  - a) To recover liquidated damage (LD) of the value of stores which is not delivered or delayed shall be recovered as follows :  
In case of the delivery of stores or any installment thereof is accepted after expiry of the original delivery period, the GM may recover from the supplier the LD equivalent to 0.5(Half) percent of the prices of any portion of stores delivered late, for each week or part thereof of delay. The maximum LD shall not exceed 10(Ten) percent of the value of delayed goods.
  - b) To get the work done from other sources at the risk and cost of the supplier to extent of material not delivered.
  - c) To cancel the Work Order without any liability on G.O.A.W.
  - d) To blacklist and debar the company from making any future work to any Govt. Department / PSU of Govt. of India.
5. In case of exigencies, unforeseen circumstances the General Manager reserves the right to cancel the work order for whole work or part of it by way of one month notice without assigning any reason.
6. Legal proceedings, if any, emanating from this contract shall fall within the jurisdiction of the competent court of Neemuch, District Neemuch, State Madhya Pradesh.
7. Income tax – TDS will be deducted at prevailing rates as per applicable rule of Income tax act.
8. GST – TDS will be deducted at prevailing rate as per applicable rule of GST Act.

9. Vendor shall ensure to submit GST return in time. Vendor shall declare invoices in their GSTR – 1 and shall pay the tax to the government by filling GSTR – 3B or any other/form for payment of tax so that vendors invoice details appear in GOAW, Neemuch GSTR – 2A. In case of non-payment of tax or non filing of GST return, tax amount will be recovered as per the decision of competent authority of GOAW, Neemuch.
10. The tenderer shall submit a copy of partnership deed in case of partnership firm or certificate of proprietorship in case of proprietary firm. In case of partnership firm the name of the person who is authorized to sign the documents & agreement etc. shall be submitted by the tenderer on required stamp papers.
11. In case, the tenderer withdraws his offer or in the event of tenderer failing to execute, after his tender is accepted, the Earnest Money Deposit/Performance security furnished by him shall be forfeited without any prejudice to other rights of Govt. of India under any law.
12. No advance payment on any account shall be made for the supply.
13. **Validity of Bids:** The Bids should remain valid for 90 days from the date of Financial bid opening.
14. **Rejection of Bids:** Canvassing by the Bidder in any form, unsolicited letter and post-tender correction may invoke summarily rejection. Conditional tenders will be rejected. Non-compliance of applicable General Information and Instruction will disqualify the Bid.
15. If any tenderer submit more than one financial bid, the bid would be liable to be rejected out rightly.
16. Canvassing for obtaining tender will disqualify the bidder from tender process.
17. The stores/material when received shall be installed and demonstrated for satisfactory working. It will be the responsibility of contractor to replace or repair the defective parts during guarantee/warranty period.
18. Govt. Opium & Alkaloid works, Neemuch will not be responsible for any damages, losses to the property of the contractor during the period of work, similarly, the Govt. Opium & Alkaloid Works, Neemuch will not be responsible for any loss caused to any persons engaged by the contractor due to any reason what so ever.
19. If any damage caused to Govt. property during execution of the work, the same shall be made good/rectified by the contractor, for this no extra payment will be made.
20. All the general T& P required for executing the job is to be arranged by contractor and no extra payment will be done. T&P shall include spanners of inch size, mm sizes, hammer, screwdriver, chain pulley block, winches, other lifting equipment devices, sling, D shades, eyebolt, etc. for the above job.
21. Any other rules and regulations, conditions etc. what are in force at present and that any be framed by this works from time to time in connection with the contract will be binding and acceptable to the contractor.

  
11/3/23  
N. M. Rudresh  
(FM CIVIL)

TENDER ACCEPTANCE LETTER

To

The General Manager  
Govt. Opium and Alkaloid  
Works, Neemuch (M.P)

Sir,

Subject: Acceptance of Terms & Conditions of tender for "Waterproofing Work And Renovation Work Of CISF Fire Control Room,GOAW, Neemuch"

Tender Reference No: \_\_\_\_\_

1. I/ We have downloaded / obtained the tender document(s) for the above-mentioned tender from the ~~website(s) namely~~ as per your advertisement, given in the above mentioned website(s).
2. I / We hereby certify that I / we have read the entire terms and conditions of the tender documents (including all documents like annexure(s), schedule(s), etc., which form part of the tender document) and signed on all the pages of the terms & conditions. I / we shall abide by the terms / conditions / clauses contained therein.
3. The corrigendum(s), issued from time to time by your department too have also been taken into consideration, while submitting this acceptance letter.
4. I / We hereby unconditionally accept the tender conditions of above mentioned tender document(s) / corrigendum(s) in its totality / entirety.
5. I / We do hereby declare that we have not been blacklisted/ debarred by any Govt. Department/Public sector undertaking.
6. I / We certify that all information furnished by me/ us/ our firm is true & correct and, in the event, that the information is found to be incorrect/untrue or found violated, then your department shall without giving any notice or reason thereof, shall summarily reject the Bid, without prejudice to any other rights or remedy.

Yours sincerely,

Date:  
Address:

Signature:  
Name of the Authorised Signatory :  
Designation:  
Seal/Stamp:

## ANNEXURE-D

Ministry of Finance, Govt. Opium and Alkaloid Works, Neemuch(M.P)

TENDER No. : GOAW/Civil/02/2022-23

### Special Instructions for e-submission of bids

1. The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.
2. More information useful for submitting online bids on the CPP Portal may be obtained at <https://eprocure.gov.in/eprocure/app>

#### **REGISTRATION**

- a. Bidders are required to enrol on the e-Procurement module of the Central Public Procurement Portal (URL: <https://eprocure.gov.in/eprocure/app> ) by clicking on the link “**Online bidder Enrolment**” on the CPP Portal which is free of charge.
- b. As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- c. Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- d. Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / nCode / eMudhra etc.), with their profile.
- e. Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSC's to others which may lead to misuse.
- f. Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / e-Token.

#### **SEARCHING FOR TENDER DOCUMENTS**

- i. There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.
- ii. Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective ‘My Tenders’ folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- iii. The bidder should make a note of the unique Tender ID assigned to each tender, in case

they want to obtain any clarification / help from the Helpdesk.

#### **PREPARATION OF BIDS**

- a. Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- b. Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- c. Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF/JPG formats. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.
- d. To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" or "Other Important Documents" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

#### **SUBMISSION OF BIDS**

- i. Bidder should log into the site well in advance for bid submission so that they can upload the bid in time  
i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- ii. The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- iii. The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- iv. The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- v. Upon the successful and timely submission of bids (i.e. after Clicking "Freeze Bid Submission" in the portal), the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- vi. The bid summary has to be printed and kept as an acknowledgement of the submission of the bid. This acknowledgement may be used as an entry pass for any bid opening meetings.

#### **ASSISTANCE TO BIDDERS**

1. Any enquiries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant

contact person indicated in the tender.

2. Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal helpdesk. The contact number for the helpdesk is 1800 233 7315.

.....

AMOUNT OF EMD TO BE DEPOSITED

S. NO.	Description of Work	Amount of EMD to be deposited in INR
1	Cleaning and Covering of Drainage in Alkaloid Colony, GOAW, Neemuch	15,000/-

Annexure "F"

*Non – Blacklisting (On Company's letterhead)*

Date :

To,

General Manager  
Govt. Opium and Alkaloid Works  
Neemuch, M.P.

Respected Sir/Madam,

I have carefully gone through the Terms and Conditions contained in the Document for tender for **Waterproofing Work And Renovation Work Of CISF Fire Control Room**. I/We hereby declare that presently our Company/Firm ..... is having unblemished record and is not declared ineligible for corrupt and fraudulent practices either indefinitely or for a particular period of time by any state/central government/PSU.

We further declare that presently our company/firm.....is not blacklisted and declared ineligible for reason other than corrupt and fraudulent practices by any state/central government/PSU on the date of Bid Submission. If this declaration is found to be incorrect then without prejudice to any other action that may be taken, my/our security may be forfeited in full and the tender if any to the extent accepted may be cancelled.

Yours faithfully,

(Signature, name and designation of the authorized signatory)

(Name and seal of the Bidder)